




Agriculture

Solutions and Services



Continental 





Continental is a world leader in industrial rubber and plastic products and has the largest global footprint of any rubber products manufacturer.

Our knowledge and expertise allow us to deliver the most innovative and highest-quality products on the market. Plus, our extensive problem-solving experience across multiple industries and applications enables us to share innovations over our entire product offering. Which means we can deliver unexpected solutions and advanced improvements in situations where others can't.

We push the boundaries of what's possible, and we're constantly solving tomorrow's most challenging problems – today and every day.

It's Why We're Your Global Partner of Choice for Industrial Fluid Solutions.

Continental offers a full breadth of industrial rubber products including:

- › Industrial Hose
- › Conveyor Belts
- › Power Transmission Belts
- › Hydraulic Hose and Fittings
- › Air Springs



Pushing the boundaries of what's possible.

Continental is recognized worldwide as a leader in the design, manufacture and supply of technologically advanced hose, air springs, shock absorbing mounts and specialty belts for the agriculture industry. We continue to create new developments for the field by incorporating advanced technology into our products by pushing the boundaries of what's possible. This ensures our products will always meet or exceed the highest specifications, the strictest environmental mandates and perform in the most extreme conditions.

Solutions For The Entire Crop Cycle

Our portfolio encompasses a wide variety of solutions for agricultural machinery and equipment – from innovative transport systems, mounting elements, drive belts, industrial and hydraulic hoses to specialty belts for seeding and harvesting. Solutions that provide optimum efficiency, safety and operator comfort from planting to harvest.



Scan or click here for more detailed product information on
www.continental-industry.com/en/industries/agriculture-forestry.





Soil Preparation





Click the  next to each product name for more detailed information including size availability and complete specifications.

Hydraulic

X-Life™ XR16SC



X-Life™ XR16SC is for high-pressure service with tight bends needing abrasion resistance and flexibility. It is made for use with petroleum- and water-based hydraulic fluids. This hose has excellent impulse performance and flexibility, exceeding SAE 100R2 and SAE 100R16 standards.

COLOR	HOSE ID
	1/4" - 2"


X-Life™ XCP3



X-Life™ XCP3 is for high-pressure hydraulic applications needing abrasion resistance. This hose is designed for use where higher pressures and a more flexible hose are required.

COLOR	HOSE ID
	1/4" - 1"

X-Life™ XCP4



X-Life™ XCP4 is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.

COLOR	HOSE ID
	1/4" - 3/4"

Air Springs



Crimped Double Convoluted

Used for downward movement on tillers and plows. This new technology has replaced the need for manual adjustment. Offered with imperial or metric threads. Available in single, double and crimped convoluted assemblies.

MATERIAL	REINFORCEMENT	MAX WP
NR (Natural Rubber)	2-ply or 4-ply made with Nylon or Polyester	120 PSI



Fertilizing & Planting



Industrial

Versiflo® 150



This is a general-purpose water suction and discharge hose for light-to medium-duty applications. It can be used in various industrial, agricultural and construction areas. This hose can be used in Lasso applications.

COLOR **HOSE ID**



1" - 12"

Spiraflex® Air Seeder



For dry conveying of seeds and other materials where abrasion is present and service conditions are moderate. Excellent for low-pressure blowing applications.

COLOR **HOSE ID**



1" - 4"

Green Hornet®



Medium-duty, lightweight construction; retains flexibility in cold weather. Smooth-bore tube minimizes material buildup and resists a variety of chemicals found in agricultural and sanitary industries. Slightly corrugated outer helix promotes abrasion resistance, low coefficient of friction and ease of coupling.

COLOR **HOSE ID**



1¼" - 6"

Spiraflex® 1600



For water suction and discharge service in construction and septic tank cleaning operations, and for general industrial and agricultural applications where mild chemical resistance is required.

COLOR **HOSE ID**



¾" - 10"

Spiraflex® Aggie



For water suction and discharge service in construction and septic tank cleaning operations, and for general industrial and agricultural applications where mild chemical resistance is required.

COLOR **HOSE ID**



¾" - 6"





Fertilizing & Planting

Industrial

Spiraflex® Agflex



For water suction and discharge service in construction and septic tank cleaning operations and is for general industrial and agricultural applications where mild chemical resistance is required.

COLOR HOSE ID



1" - 6"

Frontier®




Frontier® is an economical air and water hose covering a wide range of industrial, construction and agricultural applications. Available in 200 and 300 PSI working pressures.

COLOR HOSE ID



3/16" - 2"

Sureline®



For a wide range of industrial, construction and agricultural water discharge applications in which a general service water hose is needed.

COLOR HOSE ID



1/4" - 1 1/2"

Off-Highway Hose

20R3 D2 Heater Hose



Premium construction SAE 20R3 D2 Heater Hose is a high-quality heater hose designed to offer extra long service life on automotive and truck cooling system applications.

COLOR HOSE ID



3/8" - 1"

Blue Xtreme Heater Hose



For water suction and discharge service in construction and septic tank cleaning operations and is for general industrial and agricultural applications where mild chemical resistance is required.

COLOR HOSE ID



3/8" - 1 1/4"



Hydraulic

X-Life™ XR16SC



X-Life™ XR16SC is for high-pressure service with tight bends needing abrasion resistance and flexibility. It is made for use with petroleum- and water-based hydraulic fluids. This hose has excellent impulse performance and flexibility, exceeding SAE 100R2 and SAE 100R16 standards.

COLOR	HOSE ID
	1/4" – 2"

X-Life™ XCP3



X-Life™ XCP3 is for high-pressure hydraulic applications needing abrasion resistance. This hose is designed for use where higher pressures and a more flexible hose are required.

COLOR	HOSE ID
	1/4" – 1"

X-Life™ XCP4



X-Life™ XCP4 is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.

COLOR	HOSE ID
	1/4" – 3/4"

Air Springs



Sleeve

For seeder applications; uses air to place seed into the ground (aka Air Drill). For crops such as wheat, barley, oats and soybeans. Offered with imperial or metric threads.

MATERIAL	REINFORCEMENT	MAX WP
CR (Chloroprene)	2 plies of Polyester	120 PSI



Pesticide Application



Industrial


Ag Spray 1800



A lightweight, economical high-pressure hose for carrying air, water and many spray solutions in agricultural applications: including Xylene up to 10% concentration.

COLOR	HOSE ID
	3/8" - 3/4"

NR Spray



A premium-quality, all-purpose hose for handling a variety of applications such as paint spray or agricultural spray. Will handle spraying paints, automotive finish paints, lacquers, thinners, turpentine, air, oil and a large variety of solvents and chemicals.

COLOR	HOSE ID
	1/4" - 1"


Frontier®



Frontier® is an economical air and water hose covering a wide range of industrial, construction and agricultural applications. Available in 200 and 300 PSI working pressures.

COLOR	HOSE ID
	3/16" - 2"
	
	
	
	


Sureline®



For a wide range of industrial, construction and agricultural water discharge applications in which a general service water hose is needed.

COLOR	HOSE ID
	1/4" - 1 1/2"





Hydraulic

X-Life™ XR16SC



X-Life™ XR16SC is for high-pressure service with tight bends needing abrasion resistance and flexibility. It is made for use with petroleum- and water-based hydraulic fluids. This hose has excellent impulse performance and flexibility, exceeding SAE 100R2 and SAE 100R16 standards.

COLOR	HOSE ID
	1/4" – 2"

X-Life™ XCP3



X-Life™ XCP3 is for high-pressure hydraulic applications needing abrasion resistance. This hose is designed for use where higher pressures and a more flexible hose are required.

COLOR	HOSE ID
	1/4" – 1"

X-Life™ XCP4



X-Life™ XCP4 is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.

COLOR	HOSE ID
	1/4" – 3/4"

Air Springs



Crimped Double Convoluted

Designed for chassis suspension. Offered with imperial or metric threads.

MATERIAL	REINFORCEMENT	MAX WP
NR (Natural Rubber)	2-ply or 4-ply made with Polyester or Nylon	120 PSI



Sleeve

Designed for suspension. Offered with imperial or metric threads.

MATERIAL	REINFORCEMENT	MAX WP
CR (Chloroprene)	2-ply or 4-ply made with Polyester or Nylon	120 PSI



Irrigation

Industrial

Pliovic® Plus 250



A lightweight, economical general-purpose hose for carrying air, water and many spray solutions. Non-conductive, minimum electrical resistance greater than one (1) megohm per inch of hose length at 1000 volts DC. Non-marking cover.

COLOR HOSE ID

1/4" - 1"

Frontier®




Frontier® is an economical air and water hose covering a wide range of industrial, construction and agricultural applications. Available in 200 and 300 PSI working pressures.

COLOR HOSE ID

3/16" - 2"

Sureline®



For a wide range of industrial, construction and agricultural water discharge applications in which a general service water hose is needed.

COLOR HOSE ID


1/4" - 1 1/2"





Pivot Joints

Plicord Water S&D 150



A general purpose water S&D hose for applications in medium to heavy-duty operations such as construction or agriculture. Ideal for use in irrigation systems as the "Boot" connection between sections.

COLOR	HOSE ID
	1" - 8"

Hydraulic


X-Life™ XR16SC



X-Life™ XR16SC is for high-pressure service with tight bends needing abrasion resistance and flexibility. It is made for use with petroleum- and water-based hydraulic fluids. This hose has excellent impulse performance and flexibility, exceeding SAE 100R2 and SAE 100R16 standards.

COLOR	HOSE ID
	1/4" - 2"

X-Life™ XCP4



X-Life™ XCP4 is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.

COLOR	HOSE ID
	1/4" - 3/4"






Harvesting






Conveyor Belt



Draper Belts

Harvests edible beans, grains and rice. Durable polyester design with high-performance features and belt properties to reduce downtime. Available in bulk widths with a variety of v-guide placements; ready-to-install available for select equipment.

WIDTHS	PLY	LENGTHS
36" - 42"	2-ply	150'



Swather Belts

Transports hay and small grains and shapes into a swathe or windrow. Rip-resistant belt technology plus strong cleat features drives uptime and output.

WIDTHS	PLY	LENGTHS
41" 41.5" 41.6" 41.75" 42"	2-ply	150'



Baler Belts

Forms tightly packed, round bales that preserve crop quality and protect against storage loss. Available in OEM-preferred top cover textures including Smooth, Mini-Rough, Rough, Chevron and Diamond.

WIDTHS	PLY	LENGTHS
4", 7", 36" and 72"	2-ply 3-ply	300'



Slinger Belts

Endless rubber flat belts for throwing harvested material. Available in different texture from smooth, type D, type E and bareback.


WIDTHS	PLY	LENGTHS
Up to 48"	Multiple	24.5" to 168.625"



Sieve & Potato Belts

Premium belting products for precision planting, handling and conveying potatoes.

WIDTHS	PLY	LENGTHS
60" 72"	2-ply	300' 600' 1000'



Pickup Belts

Transports a wide range of cut swath materials to the combine. Double-pronged tines move material into the feeder house with minimal seed loss. Available in bulk rolls only.

WIDTHS	PLY	LENGTHS
17.5" - 23.75"	2-ply	Standard 300'



Harvesting



Off-Highway Hose

SAE 20R3 D2 Heater Hose



Premium construction SAE 20R3 D2 Heater Hose is a high-quality heater hose designed to offer extra long service life on automotive and truck cooling system applications.

COLOR HOSE ID

3/8" - 1"

Blue Xtreme® Heater Hose



Premium construction Xtreme® Heater Hose is designed for use in high temperature applications in today's automotive and truck cooling systems. Xtreme® Heater Hose is an economical alternative to silicone hose in high temperature applications.

COLOR HOSE ID

5/16" - 1"

SAE 30R7



This hose meets or exceeds SAE 30R7 specifications. It can be used for vacuum lines, emission/vapor, oil vent, diesel and up to B20 Biodiesel fuel lines, oil return and even as a coolant hose for return/overflow tanks. 30R7 may be used with diesel, but it is not a true fuel hose; rather, it is used as a drain hose for vapor.

COLOR HOSE ID

1/8" - 3/4"

SAE J30R9



Low perm hose designed specifically for auto and truck fuel injection systems. Continental SAE J30R9 is CARB approved (Q-10-004) with a maximum fuel permeation of 15g/m2/day at 104°F (40°C) and certified to EPA EVTIPLINE110-001.

COLOR HOSE ID

1/4" - 1/2"





Hydraulic

X-Life™ XR16SC



X-Life™ XR16SC is for high-pressure service with tight bends needing abrasion resistance and flexibility. It is made for use with petroleum- and water-based hydraulic fluids. This hose has excellent impulse performance and flexibility, exceeding SAE 100R2 and SAE 100R16 standards.

COLOR HOSE ID



1/4" - 2"

X-Life™ XCP3



X-Life™ XCP3 is for high-pressure hydraulic applications needing abrasion resistance. This hose is designed for use where higher pressures and a more flexible hose are required.

COLOR HOSE ID



1/4" - 1"

X-Life™ XCP4



X-Life™ XCP4 is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.

COLOR HOSE ID



1/4" - 3/4"

Air Springs



Rolling Lobe

Designed for suspension.
Offered with imperial or metric threads.

MATERIAL
CR
(Chloroprene)

REINFORCEMENT
2 plies of
Polyester


MAX WP
120 PSI





Storage & Transport

Conveyor Belt



Swather Belts

For windrower and swather headers. Available in a variety of bulk widths and v-guide placements.

WIDTHS	PLY	LENGTHS
41" 41.5" 41.6" 41.75" 42"	2-ply	150'



Pathfinder Plus & ContiAgriFlex Belts

Grain elevator, grain storage and grain transfer. Includes bucket elevators. Flame- and oil-resistant with anti-static properties and standard cover thickness.

WIDTHS	PLY	LENGTHS
Up to 96"	Up to 6-ply	Up to 1000'



Tube Conveyor

Conveys seeds as well as harvested crop. Polyester belt construction conforms to the tube to reduce crop loss and is designed with high performance belt properties to resist wear and tear. Available with oil resistance.

WIDTHS	PLY	LENGTHS
Up to 30"	2-ply	Min. 100' Up to 1000'

Air Springs



SAM (Shock Absorbing Mounts)

Designed for spring replacement, vibration isolation and shock impact. Does not use air.

MATERIAL	REINFORCEMENT	MAX WP
NR (Natural Rubber)	4 layers of fabric with rubber in between	N/A



Sleeve

Designed for trailers and cart suspension. Offered with imperial or metric threads.

MATERIAL	REINFORCEMENT	MAX WP
NR (Natural Rubber)	2 plies of Polyester or Nylon	120 PSI



Transfer Hose

Harvest®



Harvest® is primarily for dry food transfer. Use it for tank truck and/or in-plant applications for the transfer of dry, non-oily bulk foodstuffs.

COLOR HOSE ID



2" - 5"

Exstatic®



Exstatic® hose is primarily for dry food transfer. Use it for tank truck and/or in-plant transfer of dry, bulk foodstuffs where there is a potential for electrical static buildup.

COLOR HOSE ID



2" - 5"

Gray Flextra® FDA



Gray Flextra® LT is for both dry food transfer and liquid transfer. It is a lightweight, highly flexible hose used for transferring edibles in gravity flow, pressure or suction service. Larger ID sizes (5" and 6") applicable as "must" hoses in the wine industry.

COLOR HOSE ID



1 1/2" - 6"

Tan Flextra® FDA



Tan Flextra® is primarily for dry food transfer. It is for tank truck and in-plant service. Tan Flextra® is used to convey non-oily abrasive materials such as sand, limestone, plastic pellets and dry abrasive food products.

COLOR HOSE ID



2" - 4"

Spirathane™ PT




Spirathane™ PT is for the transfer of a variety of dry, bulk and abrasive materials. It is used in applications where static electrical buildup is common. This hose can be used for powders, plastic pellets and granular materials.

COLOR HOSE ID



1 1/2" - 6"

Nutriflex™ SW



Nutriflex™ Static Wire is for both dry food transfer and liquid transfer. It is used for handling almost every type of dry bulk food material or liquid in gravity flow and vacuum service. Nutriflex™ Static Wire is recommended for the transmission of powder pellets or granular materials.

COLOR HOSE ID



1" - 6"



Around the Farm





Water Transfer

Con Ag ECO 150



General purpose water suction and discharge hose made for medium to heavy-duty construction or agricultural operations. Tube is resistant to mild chemicals used in agriculture.

COLOR	HOSE ID
	1" - 6"


Versiflo® 150



This is a general-purpose water suction and discharge hose for light- to medium-duty applications. It can be used in various industrial, agricultural and construction areas. This hose can be used in Lasso applications.

COLOR	HOSE ID
	1" - 12"

Con Ag Water S&D



A general purpose water suction and discharge hose for applications in medium to heavy-duty operations such as construction or agriculture.

COLOR	HOSE ID
	1" - 8"

Velocity™ WT



The Velocity™ Water Transfer hose gets water where you need it, efficiently and fast. This tough clear PVC hose lets you see water in motion, even in the most demanding applications. The premium heavy-duty construction provides great durability. Whether you need full-suction or transfer, the Velocity™ WT is the hose for your jobsite.

COLOR	HOSE ID
	1 ½" - 8"

Green Hornet®



Medium-duty, lightweight construction; retains flexibility in cold weather. Smooth-bore tube minimizes material buildup and resists a variety of chemicals found in agricultural and sanitary industries. Slightly corrugated outer helix promotes abrasion resistance, low coefficient of friction and ease of coupling.

COLOR	HOSE ID
	1¼" - 6"

Cold Blue™ Flex



Cold Blue™ Flex is a lightweight, medium-duty water suction and discharge hose for industrial, construction, agricultural, mining and other applications where extreme low-temperature flexibility is required.

COLOR	HOSE ID
	3/4" - 6"



Around the Farm

Water Transfer

Spiraflex® 1600



For water suction and discharge service in construction and septic tank cleaning operations, and for general industrial and agricultural applications where mild chemical resistance is required.

COLOR	HOSE ID
	3/4" - 10"

Spiraflex® Aggie



For water suction and discharge service in construction and septic tank cleaning operations, and for general industrial and agricultural applications where mild chemical resistance is required.

COLOR	HOSE ID
	3/4" - 6"

Spiraflex® Gray Layflat



This hose is for light-duty water discharge applications in mining, construction, industry, agricultural and marine service.

COLOR	HOSE ID
	1 1/2" - 6"

Spiraflex® Red Layflat



This hose is for medium-duty discharge applications in mining, construction, industry, agriculture and marine service. It has limited oil and chemical applications.

COLOR	HOSE ID
	1 1/2" - 6"

Spiraflex® Yellow Layflat



This hose is for heavy-duty applications in mining, agriculture, construction and marine service. It has limited oil and chemical applications.

COLOR	HOSE ID
	1 1/2" - 6"

Spiraflex® Blue Layflat



This hose is for extra light-duty water discharge applications in mining, construction, industry, agricultural and marine service.

COLOR	HOSE ID
	1 1/2" - 8"

Pressure Washer

Fortress® 1000



Fortress® 1000 is for pressure washer equipment with working pressures up to 1000 PSI. Its super abrasion resistant cover provides maximum protection against the adverse effects of oil and animal fats.

COLOR	HOSE ID
	1/4" - 1/2"
	

Fortress® 3000



Fortress® 3000 is for use on pressure washer machines with working pressures up to 3000 PSI. Its super abrasion-resistant cover provides maximum protection against the adverse effects of oil and animal fats.

COLOR	HOSE ID
	3/8" - 1/2"
	


Neptune™ 3000



Neptune™ 3000 is for use on pressure washer machines with working pressures up to 3000 PSI.

COLOR	HOSE ID
	1/4" - 1/2"
	
	
	

Neptune™ 4001-R



Neptune™ 4001-R is for high-pressure washer equipment with working pressures up to 4000 PSI.

COLOR	HOSE ID
	3/8"
	
	





Around the Farm



Garden

Premium Rubber Garden



Premium Rubber Garden is a commercial cold or hot water premium rubber hose that is reinforced for high burst strength. It is abrasion and weather resistant with flexibility in cold temperatures. This hose has crush-resistant brass fittings.

COLOR HOSE ID



5/8"

Cold Water Garden



For lawn and garden, apartment, manufacturing plants and commercial property applications.

COLOR HOSE ID



5/8"

Sureline®



For a wide range of industrial, construction and agricultural water discharge applications in which a general service water hose is needed.

COLOR HOSE ID



1/4" - 1 1/2"

Pathfinder® ECO Garden



Pathfinder® ECO is heavy-duty, kink-resistant and durable while also being plant based and environmentally friendly. It resists abrasion and won't degrade in sun or frost, making it ideal for residential and commercial use. It has lead-free, crush-proof ECO Brass fittings making it 100% Prop 65 Compliant.

COLOR HOSE ID



5/8"

YardMaster™ ECO Garden



YardMaster™ ECO is a light to medium duty garden hose designed to be lightweight and easy to handle, durable, and environmentally friendly. It is best suited for lawn and garden, apartment, manufacturing plants, and commercial property applications. It is made with 100% recycled TPV and has lead-free, crush-proof ECO Brass fittings making it 100% Prop 65 Compliant.

COLOR HOSE ID



5/8"



Air & Multipurpose

GOOD


Frontier®



Frontier® is an economical air and water hose covering a wide range of industrial, construction and agricultural applications. Available in 200 and 300 PSI working pressures.

COLOR	HOSE ID
 	3/16" - 2"
 	
	

Pliovic® Plus 250



A lightweight, economical general-purpose hose for carrying air, water and many spray solutions. Pliovic® is suitable for a wide range of industrial, construction, agricultural hand sprayers and many multipurpose applications.

COLOR	HOSE ID
 	1/4" - 1"
 	
	

BETTER


Variflex™



Variflex is a good-quality, economical general-purpose hose with an ARPM Class A (High Oil Resistance) tube and cover. This hose is for industrial air service, compressor lines, pneumatic tools, low-pressure spray and many other applications where the need for oil resistance is high.

COLOR	HOSE ID
 	1/4" - 2"
 	

F5™




A hybrid thermoplastic hose that provides durability and flexibility, is lightweight and has a low drag resistance. F5™ is non-marking, oil resistant and performs well under cold temperatures to -40°F. This 300 PSI hose is designed for a variety of pneumatic applications in industries such as construction and manufacturing.

COLOR	HOSE ID
	1/4" - 1"

BEST

Gorilla®



A premium-quality, multipurpose industrial hose with a wide range of applications in factories, construction, agriculture, quarries, mines, railroads, the oil and gas industry and shipbuilding. All sizes are crush-resistant and rated at 500 PSI (3.4 MPa) maximum working pressure. The premium Carbryn™ cover offers the most superior abrasion resistance of air and multipurpose hoses.

COLOR	HOSE ID
	1/4" - 2"




Around the Farm



Fuel & Fuel Oil Delivery

Industrial

Aggie Gas™



Aggie Gas™ is a multi-use type hose for dispensing gasoline, grease, kerosene and petroleum oils, up to E10 and B5, from farm and barrel type pumps. It is for agricultural, construction and industrial service where UL approval is not required. Available with and without static wire.

COLOR	HOSE ID
	3/4" - 1"


Pacer™



Pacer™ is for all types of gasoline dispensing applications where flexibility and a lightweight hose is desired. Pacer™ is designed with a spiral textile reinforcement. This hose is UL 330 and CUL approved. Compatible with fuels up to E10 and B5.

COLOR	HOSE ID
	5/8" - 1"


Redwing® Fuel Oil



Redwing® Fuel Oil is for the transfer and delivery of fuel oil and petroleum products for home delivery, commercial and industrial service. Redwing® Fuel Oil has two textile braids. The braided construction reduces kinking and twisting when reeling. The smooth cover has low drag resistance.

COLOR	HOSE ID
	1" - 1 1/2"

Redwing® Versabraid



Redwing® Versabraid™ is a transfer and delivery hose with versatile compatibility with nearly all petroleum-based fuels, including fuel oil, diesel, gasoline, methanol blends up to M100, ethanol blends up to E100 and biodiesel blends including B10 for intermittent use.

COLOR	HOSE ID
	1" - 1 1/2"

Redwing® Blue Low Temp



The new and improved Low-Temperature Fuel Oil Delivery Hose is for transfer and delivery of fuel oil and petroleum products for home delivery, commercial and industrial service designed to remain flexible in cold temperatures and provide superior oil resistance. The braided construction reduces kinking and twisting when reeling. The smooth cover has low drag resistance.

COLOR	HOSE ID
	1" - 1 1/2"





Fuel & Fuel Oil Delivery

SAE 30R7



This hose meets or exceeds SAE 30R7 specifications. It can be used for vacuum lines, emission/vapor, oil vent, diesel and up to B20 Biodiesel fuel lines, oil return and even as a coolant hose for return/overflow tanks. 30R7 may be used with diesel but is not a true fuel hose; rather is used as a drain hose for vapor.

COLOR	HOSE ID
	1/8" - 3/4"

SAE 30R9



Low perm hose designed specifically for auto and truck fuel injection systems. Continental SAE J30R9 is CARB approved (Q-10-004) with a maximum fuel permeation of 15g/m²/day at 104°F (40°C) and certified to EPA EVTIPLINE110-001.

COLOR	HOSE ID
	1/4" - 1/2"

Welding

Single Line Grade R



For welding service. Meets ARPM IP-7 standard for Grade R welding hose.

COLOR	HOSE ID
	3/16" - 1/2"

Single Line Grade T



For welding service. Meets ARPM IP-7 and CGA E-1 standards for Grade T welding hose. Non-conductive.

COLOR	HOSE ID
	3/16" - 3/8"

Twinline Grade R



For welding service, compatible with oxygen & acetylene gases. Meets ARPM IP-7 standard for Grade R welding hose.

COLOR	HOSE ID
	3/16" - 3/8"

Twinline Grade T




Use for welding service. This hose meets ARPM IP-7 and CGA E-1 standards for Grade T welding hose and is non-conductive.

COLOR	HOSE ID
	3/16" - 3/8"



Around the Farm



LPG

LPG Delivery Pro™ & Premade Factory Assemblies



LPG Delivery Pro™ is for residential and commercial delivery/transfer of liquid propane gas. It has excellent cold weather flexibility, a smooth cover for low drag resistance and a low extraction tube to reduce contamination. All hoses are approved for use in LPG bobtail delivery, LPG dispensing and LPG industrial portable heater applications only. Additional applications require prior approval. Not for LP appliances or other consumer applications.

COLOR	HOSE ID
	1/2" - 1 1/2"

Grease Gun

SGUN




SGUN is designed to be used as a grease whip hose or general-purpose lubrication line. It is intended for use with hand grease guns only (not for powered units).

COLOR	HOSE ID
	1/4" - 3/16"

Jack Lift

Hydraulic

SHJ Lift Hose



SHJ is designed for extreme high-pressure hydraulic lines for jacking systems.

COLOR	HOSE ID
	1/4" - 3/8"


Air Springs



Crimped Double Convolute

Designed for chassis suspension. Offered with imperial or metric threads. Available in single, double or triple convoluted crimped assemblies.

MATERIAL	REINFORCEMENT	MAX WP
NR (Natural Rubber)	2-ply or 4-ply made with Polyester or Nylon	120 PSI



Miscellaneous Equipment



Poly-V Conti[®] V Multirib

A smooth-running power transmission belt suitable for farm equipment, fleets, compressors and other demanding small spaces. Its low-stretch tension members deliver high performance at peak loads.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
Polybutadiene	Polyester	No



Multi V-Belt

A smooth-running power transmission belt suitable for farm equipment, fleets, compressors and other demanding small spaces. Its low-stretch tension members deliver high performance at peak loads.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
EPDM	Polyester	Yes



Conti[®] V

For drives with highly irregular load changes and sustained high power transmission all around the farm. The V-belt series from Continental delivers consistent performance.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
Polybutadiene	Polyester	Yes



Conti[®] V Insta-Power

The lawn and garden series from Continental is an aramid reinforced v-belt that offers low to no stretch and powerful performance all around the farm.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
Chloroprene	Aramid	Yes



Conti[®] Synchroforce Supreme & Conti[®] SilentSync

For applications requiring synchronization or improved efficiency like pumps, pressure washers or other farm equipment. These belts keep you running longer.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
HNBR	Aramid	Yes



Conti[®] V Varispeed Supreme

For variator drives and shop equipment. They transmit high outputs safely and reliably under high loads.

MATERIAL	REINFORCEMENT	STATIC-CONDUCTIVE
EPDM	Aramid	Yes

Continental

703 S. Cleveland Massillon Road
Fairlawn, OH 44333-3023 U.S.A.
1-800-235-4632
www.continental-industry.com

Your local contact
www.contitech.de/contactlocator

Canada
1-888-275-4397

Mexico
1-800-439-7373